

Outline of Hazard/Task: Administering emergency First Aid with Covid-19 controls

Location / Grid reference and/or postcode: Various

Risk assessments (RAs) consider hazards, risk levels and likelihood of occurrence associated with the Covid-19 crisis. Previous site or dynamic RAs in place must also be adhered to.

Reviews and sign off:

Working Group (WG) initial review	Date: 17.6.20	Quarterly review & evaluation	Date: 1.10.20
CEO (or designate) Print: Colin Preston	Signature:	CEO (or designate) Print: Craig Baker	Signature:
WG 2 <sup>nd</sup> quarterly review & evaluation	Date: 13.1.21	WG 3 <sup>rd</sup> quarterly review & evaluation	Date:
CEO (or designate) Print: Craig Baker	Signature:	CEO (or designate) Print:	Signature:

## General terms for all situations:

Government guidance on Covid-19 Health & Safety precautions must be followed strictly:

Wash hands - Keep washing your hands regularly

Cover face - Wear a face covering in enclosed spaces

Make space - Stay at least 2 metres apart - or 1 metre with a face covering or other precautions

## **Controls currently in place:**

n/a

## Additional Covid-19 controls required:

	Persons at risk	Risk Level:	Likelihood of	
	(circle/highlight):		Occurrence:	PRECAUTIONS
Hazards associated with	Staff / Volunteers /	High /		To reduce risk level and
Covid-19	Contractors /	Medium /	High /	likelihood of occurrence
	/ Customers	Low	Medium /	
	/ Other		Low	
Administering emergency	Volunteers, staff &	Medium	Low	In line with government
First Aid	public			advice, it is imperative to
				ensure hands are washed or
				where facilities are not
				available, alcohol gel with at

Regular washing of hands with soap and water for at least 20 seconds is mandatory.





1
least 60% alcohol content is
used before and after
treating a casualty.
Wounds and dressings must
not be touched with bare
hands.
First Aiders must ensure they
do not cough or sneeze over
a casualty when treated.
Wearing gloves is mandatory
when dealing with open
wounds. Cuts or grazes on
own hands must be covered
with waterproof dressing.
All waste to be disposed of
safely.
In cases of suspected cardiac
arrest recognised by absence
of signs of life and absence of
normal breathing:
- Responders must not
listen or feel for
breathing by placing the
ear or cheek close to the
patient's mouth. If any
doubt exists the default
position is to start chest
compressions until help
arrives and ensure an
ambulance is on its way.
If Covid-19 is suspected,
state this when calling
999.
355.
First Aid responders should
place a cloth/towel over the
victims mouth and nose and
attempt compression only
CPR and/or early
defibrillation until the
ambulance (or advanced care
team) arrives.

Regular washing of hands with soap and water for at least 20 seconds is mandatory.



## **Shropshire**Wildlife Trust Covid-19 crisis risk assessment

	PPE should be worn. After
	performing compression-only
	CPR, all responders should
	wash hands thoroughly with
	soap and water or alcohol-
	based hand gel as a
	convenient alternative and
	seek advice from the NHS
	111 coronavirus advice
	service or a medical adviser.
	First Aid Kits will contain
	additional gloves and masks
	to be checked every 3
	months and replenished as
	used.
	First Aid in relation to Covid-
	19 will become a formal
	addition to the H&S
	committee agenda.
	Safety sacks will be checked
	to ensure adequate supplies
	for working with all external
	groups.
Version control: V3.0 (Date: 13.1.21)	

